PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 :
C07H 23/00, A61K 31/68, 47/48

A1

(11) International Publication Number: WO 99/65930

(43) International Publication Date: 23 December 1999 (23.12.99)

(21) International Application Number: PCT/AU99/00462

(22) International Filing Date: 11 June 1999 (11.06.99)

(30) Priority Data:
PP 4050 12 June 1998 (12.06.98) AU

(71) Applicant *(for all designated States except US)*: BIOTECH AUSTRALIA PTY. LIMITED [AU/AU]; 28 Barcoo Street, Roseville, NSW 2069 (AU).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: RUSSELL-JONES, Greg [AU/AU]; 23 Greenfield Avenue, Middle Cove, NSW 2068 (AU). MCEWAN, John [AU/AU]; 241A West Street, Blakehurst, NSW 2221 (AU).

(74) Agents: STEARNE, Peter, Andrew et al.; Davies Collison Cave, Level 10, 10 Barrack Street, Sydney, NSW 2000 (AU).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.

(54) Title: VITAMIN B_{12} DERIVATIVES AND METHODS FOR THEIR PREPARATION

(57) Abstract

This invention relates to methods for preparing vitamin B_{12} (VB_{12}) derivatives suitable for linking to a polymer, nanoparticle or therapeutic agent, protein or peptide. The methods involve reacting the 5'OH group of VB_{12} or an analogue thereof with an active carbonyl electrophile and subsequently obtaining said VB_{12} derivatives. The invention also relates to novel VB_{12} derivatives, VB_{12} derivatives prepared by the methods of the present invention and uses thereof in the preparation of polymer complexes or nanoparticles.



Conjugation sites of VB_{12}

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	**ES**	Spain	**LS**	Lesotho	**SI**	Slovenia
AM	Armenia	**FI**	Finland	**LT**	Lithuania	**SK**	Slovakia
AT	Austria	**FR**	France	**LU**	Luxembourg	**SN**	Senegal
AU	Australia	**GA**	Gabon	**LV**	Latvia	**SZ**	Swaziland
AZ	Azerbaijan	**GB**	United Kingdom	**MC**	Monaco	**TD**	Chad
BA	Bosnia and Herzegovina	**GE**	Georgia	**MD**	Republic of Moldova	**TG**	Togo
BB	Barbados	**GH**	Ghana	**MG**	Madagascar	**TJ**	Tajikistan
BE	Belgium	**GN**	Guinea	**MK**	The former Yugoslav Republic of Macedonia	**TM**	Turkmenistan
BF	Burkina Faso	**GR**	Greece			**TR**	Turkey
BG	Bulgaria	**HU**	Hungary	**ML**	Mali	**TT**	Trinidad and Tobago
BJ	Benin	**IE**	Ireland	**MN**	Mongolia	**UA**	Ukraine
BR	Brazil	**IL**	Israel	**MR**	Mauritania	**UG**	Uganda
BY	Belarus	**IS**	Iceland	**MW**	Malawi	**US**	United States of America
CA	Canada	**IT**	Italy	**MX**	Mexico	**UZ**	Uzbekistan
CF	Central African Republic	**JP**	Japan	**NE**	Niger	**VN**	Viet Nam
CG	Congo	**KE**	Kenya	**NL**	Netherlands	**YU**	Yugoslavia
CH	Switzerland	**KG**	Kyrgyzstan	**NO**	Norway	**ZW**	Zimbabwe
CI	Côte d'Ivoire	**KP**	Democratic People's Republic of Korea	**NZ**	New Zealand		
CM	Cameroon			**PL**	Poland		
CN	China	**KR**	Republic of Korea	**PT**	Portugal		
CU	Cuba	**KZ**	Kazakstan	**RO**	Romania		
CZ	Czech Republic	**LC**	Saint Lucia	**RU**	Russian Federation		
DE	Germany	**LI**	Liechtenstein	**SD**	Sudan		
DK	Denmark	**LK**	Sri Lanka	**SE**	Sweden		
EE	Estonia	**LR**	Liberia	**SG**	Singapore		

VITAMIN B_{12} DERIVATIVES AND METHODS FOR THEIR PREPARATION

TECHNICAL FIELD

The present invention generally relates to novel derivatives of vitamin B_{12} carrier molecules for the delivery of therapeutic substances by administration of a complex comprising these substances linked to vitamin B_{12} (VB_{12}) or an analogue thereof. The invention also generally relates to novel methods for preparing VB_{12} derivatives. More particularly, the invention relates to reactions of the 5'OH group of VB_{12} with electrophiles to prepare these VB_{12} derivatives.

BACKGROUND OF THE INVENTION

An oral delivery mechanism for peptides is described in International application PCT/AU86/0299 (WO87/02251) based on recent work undertaken by one of the current inventors. The mechanism utilises at least one carrier molecule to which an active substance is linked to transport the active substance from the intestinal lumen into the circulatory system. VB_{12} and analogues thereof function as ideal carrier molecules by using the natural VB_{12} uptake system, mediated by the binding of VB_{12} to intrinsic factor (IF), to transport the active substance/VB_{12} complex. Once delivered into the lymphatic drainage system or serum, the complex substantially retains the bioactivity of the native active substance.

More recently conjugates of VB_{12} with drugs, cytotoxins and MRI agents, have been used in the detection and treatment of tumour cells. For normal cellular uptake of vitamin B_{12} (cobalamin, Cbl, VB_{12}), the vitamin must first bind to the plasma protein transcolbamin II (TCII). Following binding of Cbl to TCII the resultant TCII-Cbl complex binds with high affinity to receptors on the surface of cells and is internalized by the cell via a process called receptor-mediated endocytosis (RME). Once inside the cell the Cbl is enzymatically modified to form two coenzymes, which are in turn used for two essential metabolic pathways. One pathway involves the methylation of homocysteine in the *de novo* synthesis

of methionine, and is catalyzed by methionine synthase. The other pathway involves the rearrangement of methylmalonyl CoA to succinyl CoA, and is catalyzed by methylmalonyl CoA mutase. It has recently been shown that the *in vitro* proliferation of human and murine leukemia cells is dependent upon both TCII and Cbl (McLean, G. R., Quadros, E. B., Rothenberg, S. P., Morgan, A. C., Schrader, J. W., and Ziltener, H. J., 1997 Antibodies to transcobalamin II block *in vitro* proliferation of leukemic cells, *Blood, 89,* 235-242). Several workers have now concentrated on utilizing Cbl conjugates for both radio-imaging and for targeted cancer chemotherapy (Smeltzer, C. C., Pinson, P. R., Munger, J. M., West, F. G., and Grissom, C. B., 1999 Cytotoxicities of two new cobalamin bioconjugates. *Proceedings Ninth International Symposium on Recent Advances in Drug Delivery Systems,* pp 232-3; Canon, M.J., Munger, J. M., West, F. G., and Grissom, C. B., 1999 Synthesis and uptake of radiolabeled cobalamin bioconjugate, *Proceedings Ninth International Symposium on Recent Advances in Drug Delivery Systems,* pp 230-1; Pinson, P. R., Munger, J. M., West, F. G., and Grissom, C. B., 1999 Synthesis of two doxorubicin-cobalamin bioconjugates, *Proceedings Ninth International Symposium on Recent Advances in Drug Delivery Systems,* pp 228-9).

In order for VB_{12} to co-transport pharmaceuticals across the intestinal epithelial cell layer and into the circulatory system the pharmaceuticals must first be covalently linked to the VB_{12} molecule. Similarly, in order that VB_{12} can target an anti-tumour agent to a tumour, the agent must also be covalently linked to the VB_{12} molecule. For this to occur, the VB_{12} molecule itself must first be modified to provide a suitable functional group for conjugation. A carboxylic acid derivative of VB_{12} is readily achieved by mild acid hydrolysis of the propionimide side chains of the corrin ring structure[1] (see Figure 1). This hydrolysis results in the formation of the "b", "d" and "e" monocarboxylic acids of VB_{12}.[2] The isolated monocarboxylic acid derivatives can then be conjugated directly to amino groups of proteins or peptides using commercial carbodiimides such as 1-ethyl-3-(3-(dimethylamino)propyl)carbodiimide (EDAC) or dicyclohexylcarbodiimide (DCC) thereby linking the peptide to VB_{12} via a peptide bond.[1,3]

A second method of conjugation of peptides to VB_{12} is by axial substitution of functional groups onto the Co atom of the corrin ring of the VB_{12} molecule (see Formula 1). In this method, the axial CN ligand of VB_{12} can be replaced with a functionalised alkyl chain. This substituted functional group can then be used for conjugation to a peptide or protein using traditional chemical techniques. One major disadvantage of this method, however, is that the

resultant conjugate contains a light sensitive Co-C bond. Thus care must be taken not to expose solutions of the alkylcobalamins to visible light.

Early work by Toraya and Fukui[4] demonstrated the feasibility of conjugation to VB_{12} via an ester linkage to the 5'OH of the ribose moiety of the nucleotide ligand. In their work Toraya and Fukui explored the possibility of using this chemistry to form an affinity ligand for purification of diol dehydrase. In order to form the 5'O-ester linkage the authors reacted VB_{12} with a 54 fold excess of succinic anhydride in a large volume of DMSO (VB_{12} at 5 mg/ml) plus a large excess of pyridine (128 fold w/w). These authors found that the linkage formed was not only unstable at basic pH, but was also ineffective in purifying the enzyme. Annunziato and co-workers[5] describe another method of linkage to the 5'OH of the ribose. These workers reacted *p*-maleimidophenyl isocyanate with VB_{12} and subsequently used the activated VB_{12} molecule to react with thiolated alkaline phosphatase. Subsequently, Habberfield and co-workers combined the work of Toraya and Fukui[4] with that of Annunziato *et al.*,[5] as well as Russell-Jones *et al.*[3, 6] and produced conjugates of G-CSF, EPO and consensus interferon to a 5'O-glutaroyl derivative of VB_{12}. The subsequent conjugates were claimed to be active following intraduodenal pump administration to rats of the conjugates pre-complexed to rat IF. In the method described by Habberfield and co-workers, 5 gm of cyanocobalamin (VB_{12} - 1356 MW) was dissolved in 1,000 ml of DMSO and 200 gm of glutaric anhydride (116 MW) was added in 160 ml of pyridine. The product yield was around 65%. This represents a 468 molar excess of glutaric anhydride to VB_{12}. In the work of Toraya and Fukui,[4] these workers used 200 mg of cyanocobalamin dissolved in 40 ml DMSO plus 8 grams of succinic anhydride (100 MW) to couple to the hydroxyl group. This represents a 54 fold molar excess of anhydride, with a product yield of 90%. In the method of conjugation described by Russell-Jones and co-workers[3,6] the VB_{12} monoacid was prepared by treatment with acid for 72 hrs and subsequent purification on Dowex 1X8 and Dowex 1X2 to afford a yield of only about 5%. In order to link the VB_{12} monoacid to some peptides and proteins further derivatization of the carboxyl group was often required.

Apart from the methods described by Toraya and Fukui[4] and Habberfield et al[7] and Annunziato *et al.*,[5] there are other methods which could be used to form covalent linkages to the 5'OH group of VB_{12}. These methods are generally used in the preparation of affinity resins by modification of sugar residues resident in agarose. These methods include reaction with oxirane (1,4 butane-diol diglycidyl ether), benzoquinone or cyanuric chloride. These methods have been attempted in the synthesis of VB_{12} derivatives, however, the yields were either so low as to make the process non-

commercial, or the quantities of reagents employed were so high as to make them similarly non-commercial.

Thus it is an object of the present invention to overcome, or at least alleviate one or more of the abovementioned disadvantages of the prior art. In particular, it is an object of the present invention to provide novel methods for preparing derivatives of VB_{12} carrier molecules which utilise the 5'OH group of VB_{12} for chemical bonding with spacer molecules. It is a preferred object of the present invention that the VB_{12} derivatives are easy to make, obtained in good to high yields and readily purified.

SUMMARY OF THE INVENTION

Surprisingly it has been found by the present inventors that VB_{12} derivatives, which are suitable for conjugation to polymers, nanoparticles and pharmaceutically active agents, are readily prepared by reaction of the 5'OH group on the ribose moiety of VB_{12} with carbonyl electrophiles.

According to an aspect of the present invention there is provided a method for preparing VB_{12} derivatives suitable for linking to a polymer, nanoparticle or therapeutic agent, protein or peptide comprising the steps of reacting the 5'OH group of VB_{12} or an analogue thereof with a bifunctional carbonyl electrophile to form an active intermediate, and subsequently reacting the intermediate with a nucleophilic spacer molecule to yield said VB_{12} derivative.

According to another aspect of the present invention there is provided a method for preparing a VB_{12} derivative suitable for linking to a polymer, nanoparticle or therapeutic agent, protein or peptide comprising the steps of reacting a carboxylic acid spacer molecule with a bifunctional carbonyl electrophile to form an active intermediate, and subsequently reacting the 5'OH group of VB_{12} with the active intermediate to yield said VB_{12} derivative.

There are also provided derivatives of VB_{12} prepared by the methods of the present invention. These derivatives are ideally linked to a biocompatible polymer or associated with a nanoparticle. These polymers and nanoparticles may be mixed with pharmaceutically acceptable carriers and/or diluents to provide pharmaceutical compositions for therapeutic administration to subjects.

Throughout this specification and the claims which follow, unless the text requires otherwise, the word "comprise", and variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.

BRIEF DESCRIPTION OF THE FIGURE

The present invention will now be described with reference to the Figure wherein:

Figure 1 is a representation of a VB_{12} molecule showing three sites for the possible conjugation of agents and peptides to VB_{12}. These sites of conjugation are as follows:

a) axial conjugation through substitution onto the Co atom of the corrin ring;
b) direct conjugation following acid modification of the ePropianimide side chain; and
c) conjugation to the 5'OH group of the ribose moiety of the nucleotide residue.

DETAILED DESCRIPTION OF THE INVENTION

The VB_{12} derivatives of the present invention are suitable for conjugation or linking to polymers, nanoparticles, therapeutic agents, proteins and peptides and other such pharmaceutically active agents. The methods for the production of these VB_{12} derivatives enable the derivatives to be obtained in generally good to high yields and are of good purity.

In general these derivatives are obtained by dissolving VB_{12} or an analogue thereof in a solvent, preferably a suitable non-aqueous solvent such as dry DMF, dry THF or dry DMSO, and activating the 5'OH group of VB_{12} by reaction with a carbonyl electrophile, preferably 1,1'-carbonyldiimidazole at 1-5 molar excess. Quantities above 5 molar excess may be used, however this is generally not required. Preferably VB_{12} is dissolved at high concentration in DMSO. The activated VB_{12} intermediate may then be coupled directly to peptides or proteins, or may be reacted with diamino-spacers, or amino-spacer-acids, or alternatively with amino-alkyl chains to form hydrophobic derivatives of VB_{12} suitable for insertion into the hydrophobic surface of micro- or nanoparticles or into lipids or liposomes.

An alternative method of this invention also utilises the 5'OH group of VB_{12} in the production of 5'OH ester derivatives of VB_{12}. In the synthesis of the 5'OH ester derivatives an active electrophilic intermediate is first prepared from the reaction of a carboxylic acid spacer molecule with a bifunctional carbonyl electrophile to prepare the active electrophilic intermediate. VB_{12} or analogues thereof are then subjected to reaction with the electrophilic intermediate whereby the 5'OH group of VB_{12} attacks the carbonyl electrophile and displaces a leaving group to yield the VB_{12} derivative. The VB_{12} is preferably linked to an amino acid spacer or to an acid lipid in the preparation of the 5'OH ester derivative of VB_{12}. These derivatives have the added advantage that they are easy to make and produce spacers, or linkages that are readily cleaved by serum esterases to regenerate the native VB_{12} *in vivo*.

The present inventors have utilised carbonyl electrophiles to enable attack of the weak 5'OH nucleophile by the strongly electropositive carbonyl group in combination with good leaving groups attached to the carbonyl group. The methods overcome problems in the prior art where strong basis have been used to attach cross-linking agents to the VB_{12} molecule, these strong base of which can denature the VB_{12}.

In a preferred embodiment, the carbonyl electrophile is a bifunctional carbonyl electrophile selected from carbonyldiimidazole, phosgene, triphosgene, N,N'-disuccinimidyl carbonate, carbonyl dipiperidine, 1,1'-carbonyldi(1,2,4-triazole), di(2-pyridyl)ketone, or di(1-benzotriazolyl)carbonate, more preferably carbonyldiimidazole.

The present invention also provides a VB_{12} derivatives of the formula (I):

$$VB_{12}\text{-}5'O\text{-}CO\text{-}NH\text{-}R^1 \qquad (I)$$

or a salt thereof, wherein

R^1 is $C_{1\text{-}24}$alkyl, $C_{2\text{-}24}$alkenyl, $C_{2\text{-}24}$alkynyl, $C_{3\text{-}8}$cycloalkyl, ($C_{3\text{-}8}$cycloalkyl)alkyl, amino, $-(C_{1\text{-}12}\text{alkyl})C(O)R^2$, $-(C_{2\text{-}12}\text{alkenyl})C(O)R^2$, $-NHC(O)\text{-}C_{1\text{-}8}\text{alkyl-}C(O)NHNH_2$ or $-CH(R^3)C(O)R^4$ all of which optionally may be substituted by one or more groups selected from amino, amido, hydroxy, alkyl, halo, haloalkyl, carboxy, alkoxycarbonyl, acetoxy, sulfanyl, aryl, arylalkyl and alkylarylalkyl,

R^2 is amino, hydroxy, $C_{1\text{-}6}$alkoxy or $C_{2\text{-}6}$alkenyloxy,

R^3 is an amino acid side chain or a derivative thereof, and

R^4 is hydroxy, $C_{1\text{-}6}$alkoxy, an amino acid or a peptide.

Preferably R^1 is hexyl, dodecyl, tetradecyl, hexadecyl, octadecyl, aminoethyl, aminobutyl, aminohexyl, aminododecanyl, *t*-butyl-Phe, succinylhydrazidyl, adipylhydrazidyl, Gly-OMe or Gly-OH.

The present invention also provides a VB_{12} derivative of the formula (II):

$$VB_{12}\text{-}5'O\text{-}CO\text{-}R^1 \qquad (II)$$

or a salt thereof, wherein

R^1 is C_{1-24}alkyl or C_{2-24}alkenyl optionally which may be substituted by one or more groups selected from amino, amido, hydroxy, alkyl, halo, haloalkyl, carboxy, alkoxycarbonyl, acetoxy, sulfanyl, aryl, arylalkyl and alkylarylalkyl, or

R^1 is $-CH(R^2)\text{-}NHR^3$,

R^2 is an amino acid side chain or derivative thereof, and

R^3 is hydrogen, an amine protecting group, an amino acid or a peptide.

Preferably R^1 is C_{8-24}alkyl, C_{8-24}alkenyl, or $-CH(R^2)\text{-}NHR^3$ where R^2 is glycine and R^3 is Boc or hydrogen, or R^2 is phenylalanine and R^3 is Boc or hydrogen. It will be apparent to one skilled in the art that other amino acids or proteins can be used to derivatise the VB_{12} molecule or analogues thereof. Furthermore, it will be apparent that the amino acids or proteins may require protection of pendant functional groups or other such masking prior to subjecting these reactants to the coupling reactions of the present invention.

The VB_{12} derivatives of the present invention may be linked to polymers or associated with nanoparticles or the like to prepare vitamin complexes according to standard methods known to those skilled in the art and published in the patent and scientific literature. Examples of such methods may be found in, for example, European Patent No. 0 220 030, Australian Patent No. 664365 and United States Patent Nos. 5449720 and 5548064.

The vitamin complexes are used to deliver agents or active substances, in particular hormones, drugs, prodrugs, enzymes, proteins, peptides, toxins, immunogens or DNA or RNA analogues to subjects. Subjects are preferably vertebrate hosts, more preferably veterinary, domestic and agricultural animals and humans.

The polymers or nanoparticles prepared from the VB_{12} derivatives of the present invention may be formulated as a pharmaceutical composition by combining the polymers or

nanoparticles with a pharmaceutically acceptable carrier and/or diluent in accordance with standard formulation techniques known to those skilled in the art. The pharmaceutical compositions may be formulated in any acceptable way to meet the desired mode of administration as determined by those skilled in the art.

Major advantages of the methods taught in this specification include the increase in yield of the VB_{12} derivatives, and cost savings due to the reduction in chemicals used during the activation of the VB_{12} or the incoming activated acid.

The present invention is further described with reference to the following examples which are in no way limiting on the scope of the invention.

Example 1. Preparation of 5'OH-(hexyl)-VB_{12}

Materials: VB_{12} was obtained from Rousell-Uclaf.



VB_{12}	**FW**	**1355.4**
CDI	**FW**	**162.2**
DMSO		

Solid 1,1'-carbonyldiimidazole (CDI, 260 mg) was added to cyanocobalamin (1.0 g, 0.74 mmol) previously dissolved in dimethylsulfoxide (12 mL) at 30°C and the mixture stirred for 25 min. Hexylamine (2.7 mmol) was added in one portion and stirring continued for a further 24 h at room temperature. The mixture was extracted with phenol / dichloromethane (1:1, 2 × 20 mL) and back extracted with water (2 × 20 mL from 1:4 phenol / dichloromethane). The mixture was purified by phenyl sepharose (50 g) column chromatography, eluting the unmodified VB_{12} with 25% ethanol and the product with 60% ethanol. The solvent was removed at reduced pressure and the residue was resuspended by sonication for 5 min into acetone (50 mL). The mixture was filtered and the solid washed with acetone and air dried: yield, 60%; mp 213-215°C (dec); MS (ESI) mass calcd for $C_{70}H_{101}N_{15}O_{15}CoP$ 1482, found 1505 $(M+23)^+$; UV (H_2O) λ_{361} ($\varepsilon = 10500$).

Example 2. Preparation of 5'OH-(dodecyl)-VB_{12}

Solid 1,1'-carbonyldiimidazole (CDI, 260 mg) was added to cyanocobalamin (1.0 g, 0.74 mmol) previously dissolved in dimethylsulfoxide (12 mL) at 30°C and the mixture stirred for 25 min. Dodecylamine (2.7 mmol) was added in one portion and stirring continued for a further 24 h at room temperature. The mixture was extracted with phenol / dichloromethane (1:1, 2 × 20 mL) and back extracted with water (2 × 20 mL from 1:4 phenol / dichloromethane). The mixture was purified by phenyl sepharose (50 g) column chromatography, eluting the unmodified VB_{12} with 25% ethanol and the product with 60% ethanol. The solvent was removed at reduced pressure and the residue was resuspended by sonicated for 5 min into acetone (50 mL). The mixture was filtered and the solid washed with acetone and air dried: yield, 52%; mp 215-218 °C (dec); MS (ESI) mass calcd for $C_{76}H_{113}N_{15}O_{15}CoP$ 1566, found 1589 $(M+23)^+$; UV (H_2O) λ_{361} (ε = 16900).

Example 3. Preparation of 5'OH-(tetradecyl)-VB_{12}

Solid 1,1'-carbonyldiimidazole (CDI, 260 mg) was added to cyanocobalamin (1.0 g, 0.74 mmol) previously dissolved in dimethylsulfoxide (12 mL) at 30 °C and the mixture stirred for 25 min. Tetradecylamine (2.7 mmol) was added in one portion and stirring continued for a further 24 h at room temperature. The mixture was extracted with phenol / dichloromethane (1:1, 2 × 20 mL) and back extracted with water (2 × 20 mL from 1:4 phenol / dichloromethane). The mixture was purified by phenyl sepharose (50 g) column chromatography, eluting the unmodified VB_{12} with 25% ethanol and the product with 60% ethanol. The solvent was removed at reduced pressure and the residue resuspended by sonication for 5 min into acetone (50 mL). The mixture was filtered and the solid washed with acetone and air dried: yield, 46%; mp 228-233 °C (dec); MS (ESI) mass calcd for $C_{78}H_{119}N_{15}O_{15}CoP$ 1595, found 1618 $(M+23)^+$; UV (H_2O) λ_{361} (ε = 13000).

Example 4. Preparation of 5'OH-(hexadecyl)-VB_{12}

Solid 1,1'-carbonyldiimidazole (CDI, 260 mg) was added to cyanocobalamin (1.0 g, 0.74 mmol) previously dissolved in dimethylsulfoxide (12 mL) at 30°C and the mixture stirred for 25 min. Hexadecylamine (2.7 mmol) was added in one portion and stirring continued for a

further 24 h at room temperature. The mixture was extracted with phenol / dichloromethane (1:1, 2 × 20 mL) and back extracted with water (2 × 20 mL from 1:4 phenol / dichloromethane). The mixture was purified by phenyl sepharose (50 g) column chromatography, eluting the unmodified VB_{12} with 25% ethanol and the product with 60% ethanol. The solvent was removed at reduced pressure and the residue was sonicated for 5 min into acetone (50 mL). The mixture was filtered and the solid washed with acetone and air dried: yield, 48%; mp 223-227°C (dec); MS (ESI) mass calcd for $C_{80}H_{121}N_{15}O_{15}CoP$ 1623, found 1646 $(M+23)^+$; UV (H_2O) λ_{361} ($\varepsilon = 20000$).

Example 5. Preparation of 5'OH-(octadecyl)-VB_{12}

Materials: VB_{12} was obtained from Rousell-Uclaf.



VB_{12}	**FW**	**1355.4**
CDI	**FW**	**162.2**
DMSO		

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in dry DMSO (20 ml) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr. The reaction mix was split into 4 equal parts and added to 500 mg of octadecylamine (Aldrich) dissolved in acetone, ethanol, dichloromethane or chloroform. The reaction was allowed to proceed for 2 hours after which the reaction was monitored by TLC and RP-HPLC to determine the quantity of product (5'OH-(octadecyl)-VB_{12}) which was formed.

The product was then separated from the unreacted VB_{12} by addition of an equal volume of water and DCM, followed by centrifugation in a Beckman high speed (5K, 10 min). The DCM phase was removed and the product separated from unmodified VB_{12} by flash column chromatography (isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: yield, 66%; mp 220-223°C (dec); MS (ESI) mass calcd for $C_{82}H_{125}N_{15}O_{15}CoP$ 1651, found 1674 $(M+23)^+$; UV (H_2O) λ_{361} ($\varepsilon = 17500$).

Example 6. Preparation of 5'OH-(aminoethyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in dry DMSO (20 ml) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr. Diaminoethane (3.3 equiv) was added to the reaction mix. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue resuspended in acetone (50 mL) by sonicationed for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by Flash chromatography on a silica column using isopropanol 50%, ammonia 2%, water 48%. The product was then lyophilysed: yield, 63%; mp 206-210 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.22; MS (ESI) mass calcd for $C_{66}H_{94}N_{16}O_{15}CoP$ 1441, found 1441 $(M)^+$; UV (H_2O) λ_{361} (ε = 19900).

Example 7. Preparation of 5'OH-(aminobutyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in DMSO (35 mL) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr. Solid diaminobutane (3.3 equiv) was added in one portion. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue in acetone (50 mL) sonicated for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by column chromatography (silica, isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: : yield, 70%; mp 242-244 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.08; MS (ESI) mass calcd for $C_{68}H_{98}N_{16}O_{15}CoP$ 1469, found 1469 $(M)^+$; UV (H_2O) λ_{361} (ε = 15500).

Example 8. Preparation of 5'OH-(t-butyl-Phe)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in DMSO (35 mL) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr. Solid t-butyl-Phe (3.3 equiv) was added in one portion. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue in acetone (50 mL) sonicated

for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by Flash column chromatography (silica, isopropanol 50%, ammonia 2%, water 48%) then lyophilysed.

Example 9. Preparation of 5'OH-(aminohexyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in dry DMSO (20 ml) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr. Diaminohexane (3.3 equiv) was added to the reaction mix as a solid. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue in acetone (50 mL) sonicated for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by column chromatography (isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: yield, 98%; mp 230-233°C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.11; MS (ESI) mass calcd for $C_{70}H_{102}N_{16}O_{15}CoP$ 1497, found 1497 $(M)^+$; UV (H_2O) λ_{361} (ε = 17000).

Example 10. Preparation of 5'OH-(aminododecanyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in DMSO (35 mL) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 byhr. followed by addition of diaminododecane (3.3 equiv) in one portion. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue resuspended in acetone (50 mL) and sonicated for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by Flash column chromatography (silica resin using isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: yield, 68%; mp 156-158 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.27; MS (ESI) mass calcd for $C_{76}H_{114}N_{16}O_{15}CoP$ 1581, found 1581 $(M)^+$; UV (H_2O) λ_{361} (ε = 33000).

Example 11. Preparation of 5'OH-(succinylhydrazidyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in DMSO (35 mL) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr followed by solid succinyldihydrazide (3.3 equiv) added in one portion. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue in acetone (50 mL) sonicated for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by Flash column chromatography (isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: yield, 68%; mp 206-208 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.36; MS (ESI) mass calcd for $C_{68}H_{96}N_{18}O_{17}CoP$ 1581, found 1581 $(M)^+$; UV (H_2O) λ_{361} (ε = 15700).

Example 12. Preparation of 5'OH-(adipylhydrazidyl)-VB_{12}

VB_{12} (1.0 g, 1.0 equivalent) was dissolved in DMSO (35 mL) at room temperature. Solid carbonyldiimidazole (CDI; 400 mg, 3.3 equivalents) was added and the mixture stirred at room temperature for 1 hr followed by solid adipyldihydrazide (3.3 equiv) added in one portion. The mixture was stirred for 12 h and then poured into acetone / ethyl acetate (1:1, 200 mL) and left to stand. The supernatant was poured off and the residue in acetone (50 mL) sonicated for 5 min. The mixture was filtered onto a sintered glass funnel and the solid washed with acetone. The product was purified by silica column Flash chromatography (isopropanol 50%, ammonia 2%, water 48%) then lyophilysed: yield, 73%; mp 208-210 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.33; MS (ESI) mass calcd for $C_{70}H_{100}N_{18}O_{17}CoP$ 1555, found 1555 $(M)^+$; UV (H_2O) λ_{361} (ε = 21100).

Example 13. Preparation of ester-linked VB_{12}-phenylalanine

Boc-phenylalanine (1.57 g, 0.0059 mol) and carbonyl diimidazole (1.01 g, 0.0062 mol) were dissolved in DMF (6 ml) and the solution stirred at room temperature for 1 h with vigorous evolution of CO_2. A solution of VB_{12} (1.0 g) in DMSO (10 ml) was added dropwise to the active ester solution followed by DIEA (1.2 ml, 0.89 g, 0.0069 mol) and stirring was continued at room temperature overnight. Unreacted Boc-Phe, CDI and DIEA were removed by addition of 90 ml acetone to precipitate the VB_{12}. The product was then purified by Flash

chromatography on a silica column (2.5 X 50 cm) using a solvent mixture of 45% butanol, 30% propan-2-ol, 23% DW and 2% NH_4OH. The purified product was lyophilized and the dry powder deprotected by the addition of neat TFA (1 ml /100 mg) for 10 minutes. The product was then precipitated by the addition of ethyl acetate, and dried.

Example 14 Preparation of ester-linked VB_{12}-glycine

Boc-glycine (1.57 g, 0.0059 mol) and carbonyl diimidazole (1.01 g, 0.0062 mol) were dissolved in DMF (6 ml) and the solution stirred at room temperature for 1 h with vigorous evolution of CO_2. A solution of VB_{12} (1.0 g) in DMSO (10 ml) was added dropwise to the active ester solution followed by DIEA (1.2 ml, 0.89 g, 0.0069 mol) and stirring was continued at room temperature overnight. Unreacted Boc-Gly, CDI and DIEA were removed by addition of 90 ml acetone to precipitate the VB_{12}. The product was then purified by Flash chromatography on a silica column (2.5 X 50 cm) using a solvent mixture of 45% butanol, 30% propan-2-ol, 23% DW and 2% NH_4OH. The purified product was lyophilized and the dry powder deprotected by the addition of neat TFA (1 ml /100 mg) for 10 minutes. The product was then precipitated by the addition of ethyl acetate, and dried.

Example 15. Preparation of VB_{12}-glycine acid

Cyanocobalamin (1.0 g, 0.74 mmol) and 1,1'-carbonyldiimidazole (CDI, 260 mg) were added sequentially to dimethylsulfoxide (12 mL) at 30°C and the mixture stirred for 25 min. OMe-Gly (2.7 mmol) was added in one portion followed by triethylamine (200 μL) and the mixture stirred for 24 h at room temperature. The mixture was poured into ethyl acetate (30 mL) and left to stand. The supernatant was poured off and the residue sonicated for 5 min in acetone (50 mL). The mixture was filtered and the solid washed with acetone. The residue was then dissolved in 0.1 M HCl solution and stirred for 30 min. The crude acid was then purified on Dowex 1X4 resin eluting with 2% acetic acid: yield, 95%; mp 239-242 °C (dec); TLC (^{i}PrOH 30/*n*-BuOH 45/H_2O 25/NH_4OH 2) R_f = 0.41; MS (ESI) mass calcd for $C_{66}H_{90}N_{15}O_{17}CoP$ 1456, found 1456 $(M)^+$; UV (H_2O) λ_{361} (ε = 19800).

Example 16. Determination of the relative IF affinity of various 5'O-VB_{12} derivatives.

Reagents

IF Buffer: BSA (VB_{12} and IF deficient) BSA (Sigma A-3902) was dissolved at 1 mg/ml in 0.1M potassium phosphate buffer pH 7.5 .

$^{57}CoVB_{12}$: ^{57}Co stock (50 µl) (Kodak) was diluted into 50ul of stock in 25ml of IF buffer to give a solution of 1 ng $^{57}CoVB_{12}$ / 25 ml. 250 ng cold VB_{12} was added to 25 ml of hot $^{57}CoVB_{12}$ solution to give a 10 ng/ml solution.

Porcine Intrinsic Factor: Porcine IF (Sigma) was dissolved in IF buffer at 200 Units/ml, and frozen in 500 ul lots (100 IU aliquots) until required.

BSA-coated charcoal: BSA (1%) was added to an equal volume of 5% charcoal solution of 0.1 M potassium phosphate buffer pH 7.5 and stirred gently for 30 minutes.

Procedure:

Ten fold up dilutions of VB_{12} or VB_{12} derivatives were prepared down to 1 ng/ml in IF buffer. An equal volume of diluted IF was added to each sample and incubated for 20 minutes at room temperature. An equal volume of the BSA-coated charcoal was added to each sample, which was mixed prior to centrifugation. Following centrifugation the supernatant and pellet of each sample were separated and $^{57}CoVB_{12}$ determined by counting in a gamma counter. Data is represented as the % inhibition of $^{57}CoVB_{12}$ binding when compared to unmodified VB_{12}.

Compound	% binding relative to vitamin B_{12}
hexyl-5'O-VB_{12}	49
dodecyl-5'O-VB_{12}	35
tetradecyl-5'O-VB_{12}	4.2
hexadecy-5'O-VB_{12}	0.78
octadecyl-5'O-VB_{12}	0.57
aminoethyl-5'O-VB_{12}	40
aminobutyl-5'O-VB_{12}	27
t-butyl-Phe-5'O-VB_{12}	
aminohexyl-5'O-VB_{12}	25
aminododecanyl-5'O-VB_{12}	31
succinylhydrazidyl-5'O-VB_{12}	37
adipylhydrazidyl-5'O-VB_{12}	29
phenylalanyl-5'O-VB_{12}	
glycyl-5'O-VB_{12}	
HO-Gly-5'O-VB_{12}	25

Those skilled in the art will appreciate that the invention described herein is susceptible to variations and modifications other than those specifically described. It is to be understood that the invention includes all such variations and modifications. The invention also includes all of the steps, features, compositions and compounds referred to or indicated in this specification, individually or collectively, and any and all combinations of any two or more of said steps or features.

REFERENCES

1. **Russell-Jones G. J.** The use of the vitamin B_{12} transport system as a carrier for the oral delivery of peptides, proteins and nanoparticles. *Proc. 23 rd International Symposium on Controlled Release of Bioactive Materials*, 1996.
2. **Anton, D. L. Hogenkamp, H. P. C., Walker, T. E., and Matwiyoff, N. A.** Carbon-13 nuclear magnetic resonance studies of monocarboxylic acids of cyanocobalamin. Assignments of the *b*-, *d*-, and *e*-monocarboxylic acids. *J. Am. Chem. Soc.*, 102: 2215, 1980.
3. **Russell-Jones, G.J., Westwood, S. W and Habberfield, A. D** Vitamin B_{12} mediated oral delivery systems for Granulocyte-Colony Stimulating Factor and erythropoietin. *Bioconj Chem*, 6, 459-465, 1995.
4. **Toraya, T. and Fukui, S.** The synthesis of several immobilized derivatives of vitamin B_{12} coenzyme and their use as affinity absorbents for a study of interactions of diol dehydrase with the coenzyme. *J. Biol. Chem.*, 255, 3520, 1980.
5. **Annunziato, M. E., Patel, U. S., Ranade, M., and Palumbo, P. S.** *p*-Maleimidophenyl isocyanate: A novel heterobifunctional linker for hydroxyl to thiol coupling. *Bioconj. Chem.*, 4, 212, 1993.
6. **Westwood, S. W., and Russell-Jones, G. J.** Vitamin B_{12} mediated delivery systems for GCSF and EPO. (USP 08/064,873; 5,548,064), 1993.
7. **Habberfield, A. D., Kinstler, O.B., and Pitt, C. G.** Conjugates of VB_{12} and proteins. (USP 5,574,018) **1996.**

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A method for preparing VB_{12} derivatives suitable for linking to a polymer, nanoparticle or therapeutic agent, protein or peptide comprising the steps of reacting the 5'OH group of VB_{12} or an analogue thereof with a bifunctional carbonyl electrophile to form an active intermediate, and subsequently reacting the intermediate with a nucleophilic spacer molecule to yield said VB_{12} derivative.

2. A method of claim 1, wherein the bifunctional carbonyl electrophile is selected from the group consisting of carbonyldiimidazole, phosgene, triphosgene, N,N'-disuccinimidyl carbonate, carbonyl dipiperidine, 1,1'-carbonyldi(1,2,4-triazole), di(2-pyridyl)ketone or di(1-benzotriazolyl)carbonate.

3. A method of claim 2, wherein the bifunctional carbonyl electrophile is carbonyldiimidazole.

4. A method of claim 1, wherein the nucleophilic spacer molecule is an amino- or hydrazidyl-substituted spacer molecule.

5. A method of claim 4, wherein the spacer molecule is octadecylamine.

6. A method of claim 4, wherein the spacer molecule is diaminoethane.

7. A method of claim 4, wherein the spacer molecule is diaminobutane.

8. A method of claim 4, wherein the spacer molecule is diaminohexane.

9. A method of claim 4, wherein the spacer molecule is diaminododecane.

10. A method of claim 4, wherein the spacer molecule is diaminooctadeccane.

11. A method of claim 4, wherein the spacer molecule is an amino acid or a peptide.

12. A method of claim 4, wherein the spacer molecule is a dihydrazide.

13. A method of claim 12, wherein the dihydrazide is succinic acid dihydrazide.

14. A method of claim 12, wherein the dihydrazide is adipic acid dihydrazide.

15. A method for preparing a VB_{12} derivative suitable for linking to a polymer, nanoparticle or therapeutic agent, protein or peptide comprising the steps of reacting a carboxylic acid spacer molecule with a bifunctional carbonyl electrophile to form an active intermediate, and subsequently reacting the 5'OH group of VB_{12} with the active intermediate to yield said VB_{12} derivative.

16. A method of claim 15, wherein the bifunctional carbonyl electrophile is selected from the group consisting of carbonyldiimidazole, phosgene, triphosgene, N,N'-disuccinimidyl carbonate, carbonyl dipiperidine, 1,1'-carbonyldi(1,2,4-triazole), di(2-pyridyl)ketone or di(1-benzotriazolyl)carbonate.

17. A method of claim 16, wherein the bifunctional carbonyl electrophile is carbonyldiimidazole.

18. A method of claim 15, wherein the carboxylic acid spacer molecule is N-Boc-Phe.

19. A method of claim 15 wherein the carboxylic acid spacer molecule is N-Boc-Gly.

20. A VB_{12} derivative prepared by a method of any preceding claim.

21. A VB_{12} derivative of the formula (I):

$$VB_{12}\text{-}5'O\text{-}CO\text{-}NH\text{-}R^1 \qquad (I)$$

or a salt thereof, wherein

R^1 is $C_{1\text{-}24}$alkyl, $C_{2\text{-}24}$alkenyl, $C_{2\text{-}24}$alkynyl, $C_{3\text{-}8}$cycloalkyl, ($C_{3\text{-}8}$cycloalkyl)alkyl, amino, $-(C_{1\text{-}12}\text{alkyl})C(O)R^2$, $-(C_{2\text{-}12}\text{alkenyl})C(O)R^2$, $-NHC(O)\text{-}C_{1\text{-}8}\text{alkyl-}C(O)NHNH_2$ or $-CH(R^3)C(O)R^4$ all of which optionally may be substituted by one or more groups selected from amino, amido, hydroxy, alkyl, halo, haloalkyl, carboxy, alkoxycarbonyl, acetoxy, sulfanyl, aryl, arylalkyl and alkylarylalkyl,

R^2 is amino, hydroxy, $C_{1\text{-}6}$alkoxy or $C_{2\text{-}6}$alkenyloxy,

R^3 is an amino acid side chain or a derivative thereof, and
R^4 is hydroxy, C_{1-6}alkoxy, an amino acid or a peptide.

22. A VB_{12} derivative of claim 21, wherein R^1 is hexyl, dodecyl, tetradecyl, hexadecyl, octadecyl, aminoethyl, aminobutyl, aminohexyl, aminododecanyl, t-butyl-Phe, succinylhydrazidyl, adipylhydrazidyl, Gly-OMe or Gly-OH.

23. A VB_{12} derivative of the formula (II):

$$VB_{12}\text{-}5'O\text{-}CO\text{-}R^1 \qquad (II)$$

or a salt thereof, wherein
R^1 is C_{1-24}alkyl or C_{2-24}alkenyl optionally which may be substituted by one or more groups selected from amino, amido, hydroxy, alkyl, halo, haloalkyl, carboxy, alkoxycarbonyl, acetoxy, sulfanyl, aryl, arylalkyl and alkylarylalkyl, or
R^1 is $-CH(R^2)\text{-}NHR^3$,
R^2 is an amino acid side chain or derivative thereof, and
R^3 is hydrogen, an amine protecting group, an amino acid or a peptide.

24. A VB_{12} derivative of claim 23, wherein R^1 is C_{8-24}alkyl or C_{8-24}alkenyl.

25. A VB_{12} derivative of claim 23, wherein R^1 is $-CH(R^2)\text{-}NHR^3$, R^2 is Gly and R^3 is Boc or hydrogen.

26. A VB_{12} derivative of claim 23, wherein R^1 is $-CH(R^2)\text{-}NHR^3$, R^2 is Phe and R^3 is Boc or hydrogen.

27. A polymer or nanoparticle suitable for therapeutic administration to a subject, said polymer of nanoparticle comprising a VB_{12} derivative of any one of claims 20-26.

28. A pharmaceutical composition comprising a polymer or nanoparticle of claim 27 in association with a pharmaceutically acceptable carrier and/or diluent.



Figure 1. Conjugation sites of VB_{12}

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU 99/00462

A. CLASSIFICATION OF SUBJECT MATTER

Int Cl[6]: C07H 23/00, A61K 31/68, 47/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC C07H 23/00, A61K 31/68, 47/48

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
STN SUBSTUCTURE SEARCH and MEDLINE: VITAMIN(W) B12, DERIV, PREP

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	AU A 22835/95 (MORGAN et al) 16 January 1997 Page 13 stucture 1, page 14 line 9, pages 33 line 10 to page 36 line 28, Figs 9 to 21	1 to 28
X	AU B 32015/95 (683581) (AMGEN INC.) 4 March 1996 Page 9, the claims	21 to 28
X	US A 5510479 (TETSUO TORAYA et al) 23 April 1996 The abstract (X = cyano)	23,24

[X] Further documents are listed in the continuation of Box C

[X] See patent family annex

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
27 July 1999	-6 AUG 1999
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200 WODEN ACT 2606 AUSTRALIA Facsimile No.: (02) 6285 3929	Authorized officer GAVIN THOMPSON Telephone No.: (02) 6283 2240

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU 99/00462

C (Continuation). **DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP A 0 005834 (E.R. SQUIBB & SONS, INC.) 12 December 1979. The abstract, claims	23
X	AU A 76643/96 (RECEPTATGEN CORPORATION) 24 April 1997 Page 12 lines 1 to 8, claim 15	23
X	Clinical Chemistry; Volume 24; No. 2; issued 1978; David B. Endres et al; "A Solid-Phase Radioimunoassay for Vitamin B12 in Serum, with Use of Radioiodinated Tyrosine Methyl Ester of Vitamin B12"; page 460 to 465 Page 461, left column, line 9	23,25
X	Bioinorganic Chemistry, Volume 4, issued 1975, Tetsuo Toraya et al, "Preparation, Properties and Biological Activities of Succinyl Derivatives of Vitamin B12", pages 245 to 255. Page 246 line 17	23

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/AU 99/00462

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member					
AU	22835/95	CA	2187346	US	5739287	US	5869465
		EP	0754189	US	5840712	WO	95/27723
		JP	10502334	US	5840880		
AU	32015/95	CA	2195566	US	5574018	EP	0774976
	(683581)	JP	9508141	WO	96/04016		
US	5510479	JP	6336494	FR	2705676		
EP	0 005834	AT	295	DE	2960982	US	4209614
		AU	46491/79	IL	57385	ZA	7902064
		CA	1109464	JP	54157600		
AU	76643/96	EP	0856026	WO	97/14740		

END OF ANNEX